



Master index to volumes 281–290

Abbott, H.L. and D.R. Hare, The set of values of b for which there exist block designs with b blocks	290 (2005)	275–282
Abderrezzak, M.E.K. and E. Flandrin, New sufficient conditions for bipancyclic bipartite graphs	286 (2004)	5– 13
Adamczak, I., D.L. Kreher and R.S. Rees, Tight incomplete block designs	284 (2004)	11– 20
Adams, P., D. Bryant, J. Lefevre and M. Waterhouse, Some equitably 3-colourable cycle decompositions	284 (2004)	21– 35
Adams, P., M. Mahdian and E.S. Mahmoodian, On the forced matching numbers of bipartite graphs	281 (2004)	1– 12
Aguglia, A. and A. Bonisoli, On the non-existence of a projective plane of order 15 with an A_4 -invariant oval	288 (2004)	1– 7
Albert, M.H., R.E.L. Aldred, M.D. Atkinson, H.P. van Ditmarsch, C.C. Handley and D.A. Holton, Restricted permutations and queue jumping	287 (2004)	129–133
Aldred, R.E.L. and C. Thomassen, Graphs with not all possible path-kernels	285 (2004)	297–300
Aldred, R.E.L., D.A. Holton, D. Lou and N. Zhong, Characterizing $2k$ -critical graphs and n -extendable graphs	287 (2004)	135–139
Aldred, R.E.L., see M.H. Albert	287 (2004)	129–133
Alekseev, V.E., D.V. Korobitsyn and V.V. Lozin, Boundary classes of graphs for the dominating set problem	285 (2004)	1– 6
Algaba, E., J.M. Bilbao, R. van den Brink and A. Jiménez-Losada, Cooperative games on antimatroids	282 (2004)	1– 15
Anthony, M., Partitioning points by parallel planes	282 (2004)	17– 21
Araya, M. and M. Harada, MDS codes over \mathbb{F}_9 related to the ternary Golay code	282 (2004)	233–237
Archdeacon, D. and M. Debowy, A characterization of projective-planar signed graphs	290 (2005)	109–116
Archdeacon, D., C.P. Bonnington and J. Širáň, Halin's theorem for cubic graphs on an annulus	281 (2004)	13– 25
Archdeacon, D., M. Debowy, J. Dinitz and H. Gavlas, Cycle systems in the complete bipartite graph minus a one-factor	284 (2004)	37– 43
Ashe, D.J., H.L. Fu and C.A. Rodger, A solution to the forest leave problem for partial 6-cycle systems	281 (2004)	27– 41
Atkinson, M.D., see M.H. Albert	287 (2004)	129–133
Baik, Y.-G., see M.-Y. Xu	287 (2004)	113–119
Balbuena, C. and P. García-Vázquez, Edge-connectivity in P_k -path graphs	286 (2004)	213–218
Balbuena, C., see X. Marcote	288 (2004)	113–123
Balińska, K.T., S.K. Simić and K.T. Zwierzyński, Which non-regular bipartite integral graphs with maximum degree four do not have ± 1 as eigenvalues?	286 (2004)	15– 24
Bang-Jensen, J., The structure of strong arc-locally semicomplete digraphs	283 (2004)	1– 6
Barequet, G., The on-line Heilbronn's triangle problem	283 (2004)	7– 14
Bassino, F., J. Clément and C. Nicaud, The standard factorization of Lyndon words: an average point of view	290 (2005)	1– 25
Bennett, F.E. and H. Zhang, Latin Squares with Self-Orthogonal Conjugates	284 (2004)	45– 55

- Berman, D.R., S.C. McLaurin and D.D. Smith, Ranking whist players 283 (2004) 15– 28
- Bermond, J.-C., C.J. Colbourn, A.C.H. Ling and M.-L. Yu, Grooming in unidirectional rings: $K_4 - e$ designs 284 (2004) 57– 62
- Berrizbeitia, P. and R.E. Giudici, On cycles in the sequence of unitary Cayley graphs 282 (2004) 239–243
- Biedl, T., E.D. Demaine, C.A. Duncan, R. Fleischer and S.G. Kobourov, Tight bounds on maximal and maximum matchings 285 (2004) 7– 15
- Bilbao, J.M., see E. Algaba 282 (2004) 1– 15
- Billington, E.J., The extended metamorphosis of a complete bipartite design into a cycle system 284 (2004) 63– 70
- Blinco, A., S.I. El-Zanati and C. Vanden Eynden, On the cyclic decomposition of complete graphs into almost-bipartite graphs 284 (2004) 71– 81
- Bogstad, B. and L.J. Cowen, The distinguishing number of the hypercube 283 (2004) 29– 35
- Boland, J., F. Buckley and M. Miller, Eccentric digraphs 286 (2004) 25– 29
- Bolla, M. and G. Molnár-Sáska, Optimization problems for weighted graphs and related correlation estimates 282 (2004) 23– 33
- Bollobás, B. and V. Nikiforov, Graphs and Hermitian matrices: eigenvalue interlacing 289 (2004) 119–127
- Bollobás, B. and V. Nikiforov, Hermitian matrices and graphs: singular values and discrepancy 285 (2004) 17– 32
- Bonisoli, A., see A. Aguglia 288 (2004) 1– 7
- Bonnington, C.P., see D. Archdeacon 281 (2004) 13– 25
- Boros, E., V. Gurvich, S. Jaslar and D. Krasner, Stable matchings in three-sided systems with cyclic preferences 289 (2004) 1– 10
- Borowiecka-Olszewska, M., E. Drgas-Burchardt and P. Mihók, Minimal vertex Ramsey graphs and minimal forbidden subgraphs 286 (2004) 31– 36
- Borowiecki, M.x., M. Hałuszczak and E. Sidorowicz, On Ramsey minimal graphs 286 (2004) 37– 43
- Bose, P., M. Smid and D.R. Wood, Light edges in degree-constrained graphs 282 (2004) 35– 41
- Bouyukliev, I., M. Grassl and Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over GF(4) 281 (2004) 43– 66
- Bouyuklieva, S., Some optimal self-orthogonal and self-dual codes 287 (2004) 1– 10
- Brändén, P., q -Narayana numbers and the flag h -vector of $J(2 \times n)$ 281 (2004) 67– 81
- Brandstädt, A., C.T. Hoàng and J.-M. Vanherpe, On minimal prime extensions of a four-vertex graph in a prime graph 288 (2004) 9– 17
- Brešar, B., On subgraphs of Cartesian product graphs and S-primeness 282 (2004) 43– 52
- Broersma, H.J., see L. Xiong 285 (2004) 279–288
- Brown, J.I., C.A. Hickman and R.J. Nowakowski, The k -fractal of a simplicial complex 285 (2004) 33– 45
- Bryant, D., B. Maenhaut, K. Quinn and B.S. Webb, Existence and embeddings of partial Steiner triple systems of order ten with cubic leaves 284 (2004) 83– 95
- Bryant, D., see P. Adams 284 (2004) 21– 35
- Buckley, F., see J. Boland 286 (2004) 25– 29
- Buckley, P.G. and D. Osthus, Popularity based random graph models leading to a scale-free degree sequence 282 (2004) 53– 68
- Bullock, F., see J.E. Dunbar 289 (2004) 145–155
- Burger, A.P. and J.H. van Vuuren, Ramsey numbers in complete balanced multipartite graphs. Part I: Set numbers 283 (2004) 37– 43
- Burger, A.P. and J.H. van Vuuren, Ramsey numbers in complete balanced multipartite graphs. Part II: Size numbers 283 (2004) 45– 49
- Čada, R., T. Kaiser, M. Rosenfeld and Z. Ryjáček, Hamiltonian decompositions of prisms over cubic graphs 286 (2004) 45– 56
- Cagaanan, G.B. and S.R. Canoy Jr., On the hull sets and hull number of the cartesian product of graphs 287 (2004) 141–144
- Canoy Jr., S.R., see G.B. Cagaanan 287 (2004) 141–144

- Cao, H. and B. Du, Kirkman packing designs KPD $(\{w, s^*\}, v)$ and related threshold schemes 281 (2004) 83–95
- Cardinali, I., N. Durante, T. Penttila and R. Trombetti, Bruen chains over fields of small order 282 (2004) 245–247
- Carlson, J. and D. Stolarski, The correct solution to Berlekamp's switching game 287 (2004) 145–150
- Carnes, N.P., A. Dye and J.F. Reed, The spectrum of bicyclic antiautomorphisms of directed triple systems 281 (2004) 97–114
- Cavenagh, N., D. Donovan and A. Drápal, Constructing and deconstructing latin trades 284 (2004) 97–105
- Chandrashekhara, B.M. see Padmavathamma, 287 (2004) 125–128
- Chang An, F. Tian and A. Yu, On the index of bicyclic graphs with perfect matchings 283 (2004) 51–59
- Changat, M. and J. Mathew, Induced path transit function, monotone and Peano axioms 286 (2004) 185–194
- Changat, M., H.M. Mulder and G. Sierksma, Convexities related to path properties on graphs 290 (2005) 117–131
- Chapman, R., A probabilistic proof of the Andrews–Gordon identities 290 (2005) 79–84
- Chartrand, G., L. Nebesky and P. Zhang, On hamiltonian colorings of graphs 290 (2005) 133–143
- Chebikin, D., On k -edge-ordered graphs 281 (2004) 115–128
- Chen, M.-J., D. Kuo and J.-H. Yan, The bandwidth sum of join and composition of graphs 290 (2005) 145–163
- Chen, X., Q. Lin and F. Zhang, The number of spanning trees in odd valent circulant graphs 282 (2004) 69–79
- Chen, X.E., On the largest eigenvalues of trees 285 (2004) 47–55
- Chen, X.-g., L. Sun and H.-m. Xing, Characterization of graphs with equal domination and connected domination numbers 289 (2004) 129–135
- Chen, Y., Y. Zhang and K. Zhang, The Ramsey numbers of paths versus wheels 290 (2005) 85–87
- Chen, Z., On k -pairable graphs 287 (2004) 11–15
- Choie, Y.J. and P. Solé, Ternary codes and Jacobi forms 282 (2004) 81–87
- Clžment, J., see F. Bassino 290 (2005) 1–25
- Coker, C., A family of eigensequences 282 (2004) 249–250
- Colbourn, C.J., see J.-C. Bermond 284 (2004) 57–62
- Cordovil, R., D. Forge and S. Klein, How is a chordal graph like a supersolvable binary matroid? 288 (2004) 167–172
- Cowen, L.J., see B. Bogstad 283 (2004) 29–35
- Czygrinow, A. and B. Nagle, Bounding the strong chromatic index of dense random graphs 281 (2004) 129–136
- Czygrinow, A. and B. Nagle, Strong edge colorings of uniform graphs 286 (2004) 219–223
- Dankelmann, P., G.S. Domke, W. Goddard, P. Grobler, J.H. Hattingh and H.C. Swart, Maximum sizes of graphs with given domination parameters 281 (2004) 137–148
- Danziger, P., E. Mendelsohn and G. Quattrocchi, On the chromatic index of path decompositions 284 (2004) 107–121
- Das, K.Ch., Maximizing the sum of the squares of the degrees of a graph 285 (2004) 57–66
- Das, K.Ch. and P. Kumar, Some new bounds on the spectral radius of graphs 281 (2004) 149–161
- Daskalov, R. and E. Metodieva, The nonexistence of ternary $[105, 6, 68]$ and $[230, 6, 152]$ codes 286 (2004) 225–232
- de Mello, C.P., see F. Larrión 282 (2004) 183–191
- Deabay, E., see N. Sieben 290 (2005) 61–78
- Debowsky, M., see D. Archdeacon 284 (2004) 37–43
- Debowsky, M., see D. Archdeacon 290 (2005) 109–116
- Delorme, C., I. Marquez, O. Ordaz and A. Ortuño, Existence conditions for barycentric sequences 281 (2004) 163–172
- Demaine, E.D., see T. Biedl 285 (2004) 7–15

- Deutsch, E., Ordered trees with prescribed root degrees, node degrees, and branch lengths 282 (2004) 89–94
- Di Nola, A. and R. Grigolia, Pro-finite MV-spaces 283 (2004) 61–69
- Ding, S., see X. Zhao 281 (2004) 295–307
- Dinitz, J., see D. Archdeacon 284 (2004) 37–43
- Domke, G.S., see P. Dankelmann 281 (2004) 137–148
- Dong, F.M., The largest non-integer real zero of chromatic polynomials of graphs with fixed order 282 (2004) 103–112
- Dong, F.M. and K.M. Koh, On upper bounds for real roots of chromatic polynomials 282 (2004) 95–101
- Donovan, D., see N. Cavenagh 284 (2004) 97–105
- Došlić, T., D. Svrtan and D. Veljan, Enumerative aspects of secondary structures 285 (2004) 67–82
- Drápal, A., see N. Cavenagh 284 (2004) 97–105
- Drgas-Burchardt, E., see M. Borowiecka-Olszewska 286 (2004) 31–36
- Dror, G., A. Lev and Y. Roditty, A note: some results in step domination of trees 289 (2004) 137–144
- Du, B., The spectrum of optimal strong partially balanced designs with block size five 288 (2004) 19–28
- Du, B., see H. Cao 281 (2004) 83–95
- Du, B., see J. Wang 283 (2004) 283–287
- Dunbar, J.E., M. Frick and F. Bullock, Path partitions and P_n -free sets 289 (2004) 145–155
- Duncan, C.A., see T. Biedl 285 (2004) 7–15
- Durante, N., see I. Cardinali 282 (2004) 245–247
- Dye, A., see N.P. Carnes 281 (2004) 97–114
- Ebert, G.L., Quasimultiples of geometric designs 284 (2004) 123–129
- Eckhoff, J., A new Turán-type theorem for cliques in graphs 282 (2004) 113–122
- El Haddad, M., Y. Manoussakis and R. Saad, Upper bounds for the forwarding indices of communication networks 286 (2004) 233–240
- Ellis-Monaghan, J.A., Exploring the Tutte–Martin connection 281 (2004) 173–187
- El Sahili, A., Paths with two blocks in k -chromatic digraphs 287 (2004) 151–153
- Elzinga, R.J., D.A. Gregory and K.N.V. Meulen, Addressing the Petersen graph 286 (2004) 241–244
- El-Zanati, S.I., see A. Blinco 284 (2004) 71–81
- Eu, S.-P., S.-C. Liu and Y.-N. Yeh, Odd or even on plane trees 281 (2004) 189–196
- Faudree, R.J., R.J. Gould, M.S. Jacobson, L. Lesniak and A. Saito, Toughness, degrees and 2-factors 286 (2004) 245–249
- Fayers, M., Multiple-elimination knockout tournaments with the fixed-win property 290 (2005) 89–97
- Fijavž, G. and B. Mohar, Rigidity and separation indices of Paley graphs 289 (2004) 157–161
- Fischermann, M., W. Knoben, D. Kremer and D. Rautenbach, Competition polysemy 282 (2004) 251–255
- Fischermann, M., W. Knoben, D. Kremer and D. Rautenbach, The solution of two problems on bound polysemy 282 (2004) 257–261
- Fitzgerald, R.W. and J.L. Yucas, Pencils of quadratic forms over finite fields 283 (2004) 71–79
- Flandrin, E., H. Li, A. Marczyk and M. Woźniak, A note on pancyclism of highly connected graphs 286 (2004) 57–60
- Flandrin, E., see M.E.K. Abderrezzak 286 (2004) 5–13
- Flaxman, A.D., A sharp threshold for a random constraint satisfaction problem 285 (2004) 301–305
- Fleischer, R., see T. Biedl 285 (2004) 7–15
- Fletcher, R.J., C. Koukouvinos and J. Seberry, New skew-Hadamard matrices of order $4 \cdot 59$ and new D-optimal designs of order $2 \cdot 59$ 286 (2004) 251–253

- Forge, D., see R. Cordovil 288 (2004) 167–172
- Fossorier, M., J. Ježek, J.B. Nation and A. Pogel, Ordinary graphs and subplane partitions 282 (2004) 137–148
- Frias-Armenta, M.E., V. Neumann-Lara and M.A. Pizaña, Dismantlings and iterated clique graphs 282 (2004) 263–265
- Frick, M., see J.E. Dunbar 289 (2004) 145–155
- Fu, C.-M., H.-L. Fu and C.A. Rodger, Decomposing $K_n \cup P$ into triangles 284 (2004) 131–136
- Fu, C.-M., W.-C. Huang, Y.-H. Shih and Y.-J. Yaon, Totally symmetric latin squares with prescribed intersection numbers 282 (2004) 123–136
- Fu, H.-L. and S.-L. Wu, Cyclically decomposing the complete graph into cycles 282 (2004) 267–273
- Fu, H.L., see D.J. Ashe 281 (2004) 27–41
- Fu, H.-L., see C.-M. Fu 284 (2004) 131–136
- Fu, H.-L., see R. Su 284 (2004) 235–245
- Fujisaki, T., A construction of amorphous association scheme from a pseudo-cyclic association scheme 285 (2004) 307–311
- Galeana-Sánchez, H. and R. Rojas-Monroy, A counterexample to a conjecture on edge-coloured tournaments 282 (2004) 275–276
- Galeana-Sánchez, H. and R. Rojas-Monroy, On monochromatic paths and monochromatic 4-cycles in edge coloured bipartite tournaments 285 (2004) 313–318
- Gao, W.D. and X. Jin, Weighted sums in finite cyclic groups 283 (2004) 243–247
- García-Vázquez, P., see C. Balbuena 286 (2004) 213–218
- Gargano, L., M. Hammar, P. Hell, L. Stacho and U. Vaccaro, Spanning spiders and light-splitting switches 285 (2004) 83–95
- Gavlas, H., see D. Archdeacon 284 (2004) 37–43
- Ge, G. and A.C.H. Ling, Group divisible designs with block size four and group type $g^u m^1$ for small g 285 (2004) 97–120
- Gerlach, T., Toughness and Hamiltonicity of a class of planar graphs 286 (2004) 61–65
- Gionfriddo, M. and G. Quattrocchi, Colouring 4-cycle systems with equitably coloured blocks 284 (2004) 137–148
- Gionfriddo, M., L. Milazzo, A. Rosa and V. Voloshin, Bicolouring Steiner systems $S(2, 4, v)$ 283 (2004) 249–253
- Giudici, R.E., see P. Berrizbeitia 282 (2004) 239–243
- Glebov, A.N., A.V. Kostochka and V.A. Tashkinov, Smaller planar triangle-free graphs that are not 3-list-colorable 290 (2005) 269–274
- Goddard, W., T.W. Haynes, M.A. Henning and L.C. van der Merwe, The diameter of total domination vertex critical graphs 286 (2004) 255–261
- Goddard, W., see P. Dankelmann 281 (2004) 137–148
- Göring, F., J. Harant, E. Hexel and Z. Tuza, On short cycles through prescribed vertices of a graph 286 (2004) 67–74
- Görlich, A., M. Pilśniak, M. Woźniak and I.A. Ziolo, A note on embedding graphs without short cycles 286 (2004) 75–77
- Górska, J., Z.x. Skupień, Z. Majcher and J. Michael, A smallest irregular oriented graph containing a given diregular one 286 (2004) 79–88
- Gould, R.J., see R.J. Faudree 286 (2004) 245–249
- Grabisch, M., The Möbius transform on symmetric ordered structures and its application to capacities on finite sets 287 (2004) 17–34
- Grannell, M.J. and V.P. Korzhik, Nonorientable biembeddings of Steiner triple systems 285 (2004) 121–126
- Grassl, M., see I. Bouyukliev 281 (2004) 43–66
- Grech, M. and A. Kisielewicz, Direct product of automorphism groups of colored graphs 283 (2004) 81–86
- Greene, J.E., Chromatic capacities of graphs and hypergraphs 281 (2004) 197–207
- Greferath, M. and M.E. O'Sullivan, On bounds for codes over Frobenius rings under homogeneous weights 289 (2004) 11–24

- Gregory, D.A., see R.J. Elzinga 286 (2004) 241–244
 Grigolia, R., see A. Di Nola 283 (2004) 61–69
 Grobler, P., see P. Dankelmann 281 (2004) 137–148
 Grynkiewicz, D.J., On four color monochromatic sets with nondecreasing diameter 290 (2005) 165–171
 Grytczuk, J., Another variation on Conway's recursive sequence 282 (2004) 149–161
 Guenin, B., D. Mubayi and P. Tetali, A family of switch equivalent graphs 288 (2004) 29–35
 Gulliver, T.A. and P.R.J. Östergård, Binary optimal linear rate $1/2$ codes 283 (2004) 255–261
 Gulliver, T.A., M. Harada and J.-L. Kim, Erratum to "Construction of new extremal self-dual codes" [Discrete Mathematics 263 (2003) 81–91] 289 (2004) 207–207
 Gurvich, V., see E. Boros 289 (2004) 1–10
 Gutin, G. and A. Rafiey, When n -cycles in n -partite tournaments are longest cycles 289 (2004) 163–168
- Haas, R. and T.B. Wexler, Signed domination numbers of a graph and its complement 283 (2004) 87–92
 Hackmann, A. and A. Kemnitz, The circular chromatic index 286 (2004) 89–93
 Häggkvist, R. and R. Johansson, A note on edge-decompositions of planar graphs 283 (2004) 263–266
 Hahn, G., P. Ille and R.E. Woodrow, Absorbing sets in arc-coloured tournaments 283 (2004) 93–99
 Hajdu, A. and L. Hajdu, Approximating the Euclidean distance using non-periodic neighbourhood sequences 283 (2004) 101–111
 Hajdu, L., see A. Hajdu 283 (2004) 101–111
 Hałuszczak, M., see M.x. Borowiecki 286 (2004) 37–43
 Hammar, M., see L. Gargano 285 (2004) 83–95
 Handley, C.C., see M.H. Albert 287 (2004) 129–133
 Harada, M., see M. Araya 282 (2004) 233–237
 Harada, M., see T.A. Gulliver 289 (2004) 207–207
 Harant, J., On paths and cycles through specified vertices 286 (2004) 95–98
 Harant, J., see F. Göring 286 (2004) 67–74
 Harary, F. and D. Ranjan, Identity orientation of complete bipartite graphs 290 (2005) 173–182
 Hare, D.R., see H.L. Abbott 290 (2005) 275–282
 Hartman, A. and L. Raskin, Problems and algorithms for covering arrays 284 (2004) 149–156
 Hasunuma, T., Y. Kikuchi, T. Mori and Y. Shibata, On the number of cycles in generalized Kautz digraphs 285 (2004) 127–140
 Hattingh, J.H., see P. Dankelmann 281 (2004) 137–148
 Havet, F., Stable set meeting every longest path 289 (2004) 169–173
 Haynes, T.W., M.A. Henning and L. Hopkins, Total domination subdivision numbers of trees 286 (2004) 195–202
 Haynes, T.W., see W. Goddard 286 (2004) 255–261
 He, W., J. Wu and X. Zhu, Relaxed game chromatic number of trees and outerplanar graphs 281 (2004) 209–219
 Hell, P. and J.J. Montellano-Ballesteros, Polychromatic cliques 285 (2004) 319–322
 Hell, P., see L. Gargano 285 (2004) 83–95
 Hellwig, A. and L. Volkmann, Sufficient conditions for λ' -optimality in graphs of diameter 2 283 (2004) 113–120
 Henning, M.A., Restricted total domination in graphs 289 (2004) 25–44
 Henning, M.A. and J.E. Maritz, Stratification and domination in graphs II 286 (2004) 203–211
 Henning, M.A., see T.W. Haynes 286 (2004) 195–202
 Henning, M.A., see W. Goddard 286 (2004) 255–261
 Herzog, M., G. Kaplan and A. Lev, Representation of permutations as products of two cycles 285 (2004) 323–327
 Hexel, E., see F. Göring 286 (2004) 67–74
 Hickman, C.A., see J.I. Brown 285 (2004) 33–45
 Higashikawa, M., There is no universal countable random-free graph 282 (2004) 277–279

- Hilton, A.J.W. and M. Johnson, Amalgamations of factorizations of complete equipartite graphs 284 (2004) 157–175
- Hoàng, C.T., see A. Brandstädt 288 (2004) 9–17
- Hoede, C., see L. Wang 283 (2004) 231–241
- Hoffman, D.G., The real truth about star designs 284 (2004) 177–180
- Hoffman, D.G., see C.A. Rodger 284 (2004) 1–7
- Holt, F.B., Blending simple polytopes at faces 285 (2004) 141–150
- Holton, D.A., see M.H. Albert 287 (2004) 129–133
- Holton, D.A., see R.E.L. Aldred 287 (2004) 135–139
- Honkala, J. and M. Rigo, Decidability questions related to abstract numeration systems 285 (2004) 329–333
- Hopkins, L., see T.W. Haynes 286 (2004) 195–202
- Horak, P., R. Nedela and A. Rosa, The Hamilton–Waterloo problem: the case of Hamilton cycles and triangle-factors 284 (2004) 181–188
- Hornák, M. and S. Jendrol', Preface 286 (2004) 1–1
- Hosseini Dolama, M., Éric Sopena and X. Zhu, Incidence coloring of k -degenerated graphs 283 (2004) 121–128
- Hsiao, H.K., S.S. Yu and Y.-K. Zhao, Word-paired catenations of regular languages 287 (2004) 35–43
- Huang, T. and C.-w. Weng, Pooling spaces and non-adaptive pooling designs 282 (2004) 163–169
- Huang, W.-C., see C.-M. Fu 282 (2004) 123–136
- Hudry, A., Injective envelope and parallel decomposition of a transition system 289 (2004) 45–61
- Hurd, S.P. and D.G. Sarvate, Odd and even group divisible designs with two groups and block size four 284 (2004) 189–196
- Hyun, J.Y. and H.K. Kim, The poset structures admitting the extended binary Hamming code to be a perfect code 288 (2004) 37–47
- Ille, P., see G. Hahn 283 (2004) 93–99
- Jacobson, M.S., see R.J. Faudree 286 (2004) 245–249
- Jamison, R.E. and H.M. Mulder, Constant tolerance intersection graphs of subtrees of a tree 290 (2005) 27–46
- Jaslar, S., see E. Boros 289 (2004) 1–10
- Javanian, M., H. Mahmoud and M. Vahidi-Asl, Paths in m -ary interval trees 287 (2004) 45–53
- Jendrol', S., see M. Hornák 286 (2004) 1–1
- Ježek, J., see M. Fossorier 282 (2004) 137–148
- Ji, L., On the 3BD-closed set $B_3(\{4,5\})$ 287 (2004) 55–67
- Jianguo, L., see Y. Yuansheng 289 (2004) 107–118
- Jiménez-Losada, A., see E. Algaba 282 (2004) 1–15
- Jin, X., see W.D. Gao 283 (2004) 243–247
- Johansson, R., see R. Häggkvist 283 (2004) 263–266
- Johnson, M., see A.J.W. Hilton 284 (2004) 157–175
- Jones, S. and D. Schaal, Two-color Rado numbers for $x + y + c = kz$ 289 (2004) 63–69
- Kaiser, T., see R. Čada 286 (2004) 45–56
- Kano, M., G.Y. Katona and Z. Király, Packing paths of length at least two 283 (2004) 129–135
- Kanovich, M., Finding direct partition bijections by two-directional rewriting techniques 285 (2004) 151–166
- Kaplan, G., see M. Herzog 285 (2004) 323–327
- Katona, G.Y., see M. Kano 283 (2004) 129–135
- Kawarabayashi, K.-i., Rooted minor problems in highly connected graphs 287 (2004) 121–123
- Keedwell, A.D. and G.L. Mullen, Sets of partially orthogonal latin squares and projective planes 288 (2004) 49–60

- Keedwell, A.D. and V.A. Shcherbacov, Construction and properties of (r,s,t) . II 288 (2004) 61–71
 Kemnitz, A., see A. Hackmann 286 (2004) 89–93
 Kerivin, H. and A.R. Mahjoub, On survivable network polyhedra 290 (2005) 183–210
 Key, J.D., J. Moori and B.G. Rodrigues, Binary codes from graphs on triples 282 (2004) 171–182
 Kikuchi, Y., see T. Hasunuma 285 (2004) 127–140
 Killian, C.E. and C.D. Savage, Antipodal Gray codes 281 (2004) 221–236
 Kim, D.C., see D.S. Kim 287 (2004) 155–160
 Kim, D.S. and D.C. Kim, Character sums and MacWilliams identities 287 (2004) 155–160
 Kim, H.K., see J.Y. Hyun 288 (2004) 37–47
 Kim, J.-L., see T.A. Gulliver 289 (2004) 207–207
 Király, Z., see M. Kano 283 (2004) 129–135
 Kisielewicz, A., see M. Grech 283 (2004) 81–86
 Klein, S., see R. Cordovil 288 (2004) 167–172
 Knoben, W., see M. Fischermann 282 (2004) 251–255
 Knoben, W., see M. Fischermann 282 (2004) 257–261
 Kobeissi, M. and M. Mollard, Disjoint cycles and spanning graphs of hypercubes 288 (2004) 73–87
 Kobourov, S.G., see T. Biedl 285 (2004) 7–15
 Koh, K.M., see F.M. Dong 282 (2004) 95–101
 Korobitsyn, D.V., see V.E. Alekseev 285 (2004) 1–6
 Korzhik, V.P., see M.J. Grannell 285 (2004) 121–126
 Kostochka, A.V., see A.N. Glebov 290 (2005) 269–274
 Koukouvinos, C., see R.J. Fletcher 286 (2004) 251–253
 Král', D., Hajós' theorem for list coloring 287 (2004) 161–163
 Král', D., J. Kratochvíl and H.-J. Voss, Mixed hypercacti 286 (2004) 99–113
 Krasner, D., see E. Boros 289 (2004) 1–10
 Kratochvíl, J., see D. Král' 286 (2004) 99–113
 Kreher, D.L., see I. Adamczak 284 (2004) 11–20
 Kremer, D., see M. Fischermann 282 (2004) 251–255
 Kremer, D., see M. Fischermann 282 (2004) 257–261
 Kumar, P., see K.Ch. Das 281 (2004) 149–161
 Kuo, D. and J.-H. Yan, On $L(2,1)$ -labelings of Cartesian products of paths and cycles 283 (2004) 137–144
 Kuo, D., see M.-J. Chen 290 (2005) 145–163

 Larrión, F., C.P. de Mello, A. Morgana, V. Neumann-Lara and M.A. Pizaña, The clique operator on cographs and serial graphs 282 (2004) 183–191
 Larrión, F., V. Neumann-Lara, M.A. Pizaña and T.D. Porter, A hierarchy of self-clique graphs 282 (2004) 193–208
 Lefevre, J., see P. Adams 284 (2004) 21–35
 Lefevre, J.G., Steiner trade spectra of complete partite graphs 288 (2004) 89–98
 Lemos, M., Elements belonging to triads in 3-connected matroids 285 (2004) 167–181
 Lepović, M., On integral graphs which belong to the class $\alpha K_a \cup \beta K_{b,b}$ 285 (2004) 183–190
 Lesniak, L., see R.J. Faudree 286 (2004) 245–249
 Lev, A., see M. Herzog 285 (2004) 323–327
 Lev, A., see G. Dror 289 (2004) 137–144
 Levy, D., Injectivity and surjectivity of Collatz functions 285 (2004) 191–199
 Li, H. and J. Shu, The partition of a strong tournament 290 (2005) 211–220
 Li, H., see E. Flandrin 286 (2004) 57–60
 Li, J., A new degree condition for graphs to have $[a,b]$ -factor 290 (2005) 99–103
 Li, M., see L. Xiong 285 (2004) 279–288
 Li, R., Hamiltonicity of 2-connected $\{K_{1,4}, K_{1,4} + e\}$ -free graphs 287 (2004) 69–76
 Li, R., Hamiltonicity of 2-connected quasi-claw-free graphs 283 (2004) 145–150
 Li, X. and B. Zhao, Isomorphisms of P_k -graphs for $k \geq 4$ 289 (2004) 71–80
 Li, X., see H. Zhao 281 (2004) 277–294

- Li, X., see L. Wang 283 (2004) 231–241
 Li, X., see L. Xiong 285 (2004) 279–288
 Li, X., see J. Wu 287 (2004) 103–111
 Lin, Q., see X. Chen 282 (2004) 69–79
 Ling, A.C.H., see J.-C. Bermond 284 (2004) 57–62
 Ling, A.C.H., see G. Ge 285 (2004) 97–120
 Liskovets, V.A. and T.R.S. Walsh, Enumeration of eulerian and unicursal planar maps 282 (2004) 209–221
 Liu, D.D.-F., Circular chromatic number for iterated Mycielski graphs 285 (2004) 335–340
 Liu, R., H. Zhao and C. Ye, A complete solution to a conjecture on chromatic uniqueness of complete tripartite graphs 289 (2004) 175–179
 Liu, R., see H. Zhao 281 (2004) 277–294
 Liu, S., see H. Mao 289 (2004) 187–192
 Liu, S.-C., see S.-P. Eu 281 (2004) 189–196
 Liu, Y., Characterizations of maximum matching graphs of certain types 290 (2005) 283–289
 Lo Faro, G. and A. Tripodi, Triplication for BSTs and uncolourability 284 (2004) 197–203
 Loeb, M., J. Matoušek and O. Pangrác, Triangles in random graphs 289 (2004) 181–185
 Lou, D., A. Saito and L. Teng, A note on internally disjoint alternating paths in bipartite graphs 290 (2005) 105–108
 Lou, D., see R.E.L. Aldred 287 (2004) 135–139
 Lozin, V. and D. Rautenbach, Chordal bipartite graphs of bounded tree- and clique-width 283 (2004) 151–158
 Lozin, V.V., see V.E. Alekseev 285 (2004) 1–6
 Luyckx, D. and J.A. Thas, Locally hermitian 1-systems of $Q^+(7, q)$ 282 (2004) 223–231
- Ma, H. and H. Ren, σ -polynomials 285 (2004) 341–344
 Madaras, T. and R. Škrekovski, Heavy paths, light stars, and big melons 286 (2004) 115–131
 Maenhaut, B., see D. Bryant 284 (2004) 83–95
 Mahdian, M., see P. Adams 281 (2004) 1–12
 Mahjoub, A.R., see H. Kerivin 290 (2005) 183–210
 Mahlburg, K., The overpartition function modulo small powers of 2 286 (2004) 263–267
 Mahmoodian, E.S., see P. Adams 281 (2004) 1–12
 Mahmoud, H., see M. Javanian 287 (2004) 45–53
 Majcher, Z., see J. Górska 286 (2004) 79–88
 Mamut, A., D.A. Pike and M.E. Raines, Pancyclic BIBD block-intersection graphs 284 (2004) 205–208
 Manoussakis, Y., see M. El Haddad 286 (2004) 233–240
 Mansilla, S.P., Infinite families of non-Cayley vertex-transitive tournaments 288 (2004) 99–111
 Mao, H. and S. Liu, Factorization theorem for strong maps 289 (2004) 187–192
 Maqsood, T., see Q. Mushtaq 290 (2005) 47–59
 Marcote, X., C. Balbuena and I. Pelayo, Diameter, short paths and superconnectivity in digraphs 288 (2004) 113–123
 Marczyk, A., On the structure of the set of cycle lengths in a hamiltonian graph 286 (2004) 133–140
 Marczyk, A., see E. Flandrin 286 (2004) 57–60
 Maritz, J.E., see M.A. Henning 286 (2004) 203–211
 Marquez, I., see C. Delorme 281 (2004) 163–172
 Martin, N., Unbalanced star-factorisations of complete bipartite graphs 283 (2004) 159–165
 Martini, H. and V. Soltan, Antipodality properties of finite sets in Euclidean space 290 (2005) 221–228
 Maruta, T., The nonexistence of some ternary linear codes of dimension 6 288 (2004) 125–133
 Mathew, J., see M. Changat 286 (2004) 185–194
 Mathon, R. and A.P. Street, Mixed partitions of sets of triples into small planes 284 (2004) 209–215
 Matoušek, J., see M. Loeb 289 (2004) 181–185
 Maze, G., Partitions modulo n and circulant matrices 287 (2004) 77–84
 McGee, J.W. and C.A. Rodger, Embedding coverings of 2-paths with 3-paths 284 (2004) 217–223

- McKee, T.A., Biclique comparability digraphs of bipartite graphs and minimum ranks of partial matrices 287 (2004) 165–170
- McLaurin, S.C., see D.R. Berman 283 (2004) 15–28
- McSorley, J.P. and T.D. Porter, Generating sequences of clique-symmetric graphs via Eulerian digraphs 287 (2004) 85–91
- Mellinger, K.E., Classical mixed partitions 283 (2004) 267–271
- Mendelsohn, E., see P. Danziger 284 (2004) 107–121
- Meng, J., see B. Wu 289 (2004) 95–106
- Metodieva, E., see R. Daskalov 286 (2004) 225–232
- Meulen, K.N.V., see R.J. Elzinga 286 (2004) 241–244
- Michael, J., see J. Górska 286 (2004) 79–88
- Michalak, D., Domination, independence and irredundance with respect to additive induced-hereditary properties 286 (2004) 141–146
- Mihók, P. and I. Schiermeyer, Cycle lengths and chromatic number of graphs 286 (2004) 147–149
- Mihók, P., see M. Borowiecka-Olszewska 286 (2004) 31–36
- Milazzo, L., see M. Gionfriddo 283 (2004) 249–253
- Milici, S., Coverings of a complete graph with five-vertex and five-edge graphs 284 (2004) 225–229
- Miller, M., see J. Boland 286 (2004) 25–29
- Mohar, B., see G. Fijavž 289 (2004) 157–161
- Mollard, M., see M. Kobeissi 288 (2004) 73–87
- Molnár-Sáska, G., see M. Bolla 282 (2004) 23–33
- Montellano-Ballesteros, J.J., see P. Hell 285 (2004) 319–322
- Moori, J., see J.D. Key 282 (2004) 171–182
- Morgana, A., see F. Larrión 282 (2004) 183–191
- Mori, T., see T. Hasunuma 285 (2004) 127–140
- Mphako, E.G., H -lifts of tangential k -blocks 285 (2004) 201–210
- Mubayi, D., see B. Guenin 288 (2004) 29–35
- Mulder, H.M., see R.E. Jamison 290 (2005) 27–46
- Mulder, H.M., see M. Changat 290 (2005) 117–131
- Mullen, G.L., see A.D. Keedwell 288 (2004) 49–60
- Munemasa, A. and V.D. Tonchev, A new quasi-symmetric 2-(56,16,6) design obtained from codes 284 (2004) 231–234
- Mushtaq, Q. and T. Maqsood, Homomorphic images of $\Delta(2,3,11)$ 290 (2005) 47–59
- Nagle, B., see A. Czygrinow 281 (2004) 129–136
- Nagle, B., see A. Czygrinow 286 (2004) 219–223
- Nakamoto, A., S. Negami and K. Ota, Chromatic numbers and cycle parities of quadrangulations on nonorientable closed surfaces 285 (2004) 211–218
- Natarajan, R., A bijection between certain non-crossing partitions and sequences 286 (2004) 269–275
- Nation, J.B., see M. Fossorier 282 (2004) 137–148
- Nebesky, L., Intervals and steps in a connected graph 286 (2004) 151–156
- Nebesky, L., see G. Chartrand 290 (2005) 133–143
- Nedela, R., see P. Horak 284 (2004) 181–188
- Negami, S., see A. Nakamoto 285 (2004) 211–218
- Neumann-Lara, V., see F. Larrión 282 (2004) 183–191
- Neumann-Lara, V., see F. Larrión 282 (2004) 193–208
- Neumann-Lara, V., see M.E. Frías-Armenta 282 (2004) 263–265
- Nicaud, C., see F. Bassino 290 (2005) 1–25
- Nikiforov, V., see B. Bollobás 285 (2004) 17–32
- Nikiforov, V., see B. Bollobás 289 (2004) 119–127
- Nowakowski, R.J., see J.I. Brown 285 (2004) 33–45
- Ordaz, O., see C. Delorme 281 (2004) 163–172
- Ortuño, A., see C. Delorme 281 (2004) 163–172

- Östergård, P.R.J., see T.A. Gulliver 283 (2004) 255–261
- O'Shea, E., *M*-partitions: optimal partitions of weight for one scale pan 289 (2004) 81–93
- Osthus, D., see P.G. Buckley 282 (2004) 53–68
- Ostrovskii, M.I., Minimal congestion trees 285 (2004) 219–226
- O'Sullivan, M.E., see M. Greferath 289 (2004) 11–24
- Ota, K., see A. Nakamoto 285 (2004) 211–218
- Padmavathamma, R. Raghavendra and B.M. Chandrashekhara, A new bijective proof of a partition theorem of K. Alladi 287 (2004) 125–128
- Pan, H., A congruence of Lucas' type 288 (2004) 173–175
- Pangráč, O., see M. Loeb 289 (2004) 181–185
- Pelayo, I., see X. Marcote 288 (2004) 113–123
- Peng, Y.-l., Some new results on chromatic uniqueness of K_4 -homeomorphs 288 (2004) 177–183
- Penttilä, T., see I. Cardinali 282 (2004) 245–247
- Peters, C. and L. Volkmann, Vertex 6-pancyclic in-tournaments 285 (2004) 227–238
- Pike, D.A., see A. Mamut 284 (2004) 205–208
- Pilśniak, M., see A. Gölich 286 (2004) 75–77
- Pióro, K., On some graph problem in the theory of partial algebras—Part I 283 (2004) 167–187
- Pióro, K., On some graph problem in the theory of partial algebras—Part II 283 (2004) 189–204
- Pisanski, T., T.W. Tucker and A. Žitnik, Straight-ahead walks in Eulerian graphs 281 (2004) 237–246
- Pizaña, M.A., see F. Larrión 282 (2004) 183–191
- Pizaña, M.A., see F. Larrión 282 (2004) 193–208
- Pizaña, M.A., see M.E. Frías-Armenta 282 (2004) 263–265
- Plummer, M.D. and X. Zha, On the p -factor-criticality of the Klein bottle 287 (2004) 171–175
- Pogel, A., see M. Fosserier 282 (2004) 137–148
- Polat, N., Fixed finite subgraph theorems in infinite weakly modular graphs 285 (2004) 239–256
- Porter, T.D., see F. Larrión 282 (2004) 193–208
- Porter, T.D., see J.P. McSorley 287 (2004) 85–91
- Priesler (Moreno), M. and M. Tarsi, On some multigraph decomposition problems and their computational complexity 281 (2004) 247–254
- Quattrocchi, G., see P. Danziger 284 (2004) 107–121
- Quattrocchi, G., see M. Gionfriddo 284 (2004) 137–148
- Quinn, K., see D. Bryant 284 (2004) 83–95
- Quistorff, J., A new nonexistence result for sharply multiply transitive permutation sets 288 (2004) 185–186
- Quistorff, J., Slight improvements of the Singleton bound 286 (2004) 277–283
- Rafiey, A., see G. Gutin 289 (2004) 163–168
- Raghavendra, R. see Padmavathamma, 287 (2004) 125–128
- Raines, M.E., see A. Mamut 284 (2004) 205–208
- Ramras, M., Minimum cutsets in hypercubes 289 (2004) 193–198
- Ranjan, D., see F. Harary 290 (2005) 173–182
- Raskin, L., see A. Hartman 284 (2004) 149–156
- Rautenbach, D., see M. Fischermann 282 (2004) 251–255
- Rautenbach, D., see M. Fischermann 282 (2004) 257–261
- Rautenbach, D., see V. Lozin 283 (2004) 151–158
- Reed, J.F., see N.P. Carnes 281 (2004) 97–114
- Rees, R.S., see I. Adamczak 284 (2004) 11–20
- Ren, H., see H. Ma 285 (2004) 341–344
- Renault, J., View-obstruction: a shorter proof for 6 lonely runners 287 (2004) 93–101
- Rigo, M., see J. Honkala 285 (2004) 329–333
- Roddy, M.S. and B.S.W. Schröder, Isotone relations revisited 290 (2005) 229–248
- Rodger, C.A. and D.G. Hoffman, Preface 284 (2004) 1–7

Rodger, C.A., see D.J. Ashe	281 (2004)	27– 41
Rodger, C.A., see J.W. McGee	284 (2004)	217–223
Rodger, C.A., see C.-M. Fu	284 (2004)	131–136
Roditty, Y., see G. Dror	289 (2004)	137–144
Rodrigues, B.G., see J.D. Key	282 (2004)	171–182
Rojas-Monroy, R., see H. Galeana-Sánchez	282 (2004)	275–276
Rojas-Monroy, R., see H. Galeana-Sánchez	285 (2004)	313–318
Rosa, A., see M. Gionfriddo	283 (2004)	249–253
Rosa, A., see P. Horak	284 (2004)	181–188
Rosenfeld, M., see R. Čada	286 (2004)	45– 56
Ryjáček, Z., see R. Čada	286 (2004)	45– 56
Saad, R., see M. El Haddad	286 (2004)	233–240
Saito, A., see R.J. Faudree	286 (2004)	245–249
Saito, A., see D. Lou	290 (2005)	105–108
Sanchis, L.A., Relating the size of a connected graph to its total and restricted domination numbers	283 (2004)	205–216
Sarvate, D.G., see S.P. Hurd	284 (2004)	189–196
Savage, C.D., see C.E. Killian	281 (2004)	221–236
Schaal, D., see S. Jones	289 (2004)	63– 69
Schiermeyer, I., Rainbow numbers for matchings and complete graphs	286 (2004)	157–162
Schiermeyer, I., see P. Mihók	286 (2004)	147–149
Schröder, B.S.W., see M.S. Roddy	290 (2005)	229–248
Seberry, J., see R.J. Fletcher	286 (2004)	251–253
Semanišin, G., Minimal reducible bounds for induced-hereditary properties	286 (2004)	163–170
Sendrier, N., Linear codes with complementary duals meet the Gilbert–Varshamov bound	285 (2004)	345–347
Shcherbacov, V.A., see A.D. Keedwell	288 (2004)	61– 71
Shen, H., see R. Su	284 (2004)	235–245
Shibata, Y., see T. Hasunuma	285 (2004)	127–140
Shih, Y.-H., see C.-M. Fu	282 (2004)	123–136
Shiu, W.C., Invariant factors of graphs associated with hyperplane arrangements	288 (2004)	135–148
Shu, J., see H. Li	290 (2005)	211–220
Sidorowicz, E., see M.x. Borowiecki	286 (2004)	37– 43
Sieben, N. and E. Deabay, Polyomino weak achievement games on 3-dimensional rectangular boards	290 (2005)	61– 78
Sierksma, G., see M. Changat	290 (2005)	117–131
Sim, H.-S., see M.-Y. Xu	287 (2004)	113–119
Simić, S.K., see K.T. Balińska	286 (2004)	15– 24
Sinclair, P.A., On removable even circuits in graphs	286 (2004)	177–184
Sinclair, P.A., Upon the removal of the edges of a 1-factor from an even circuit in a 2-connected graph	286 (2004)	171–175
Širáň, J., see D. Archdeacon	281 (2004)	13– 25
Škrekovski, R., see T. Madaras	286 (2004)	115–131
Skupień, Z.x., see J. Górska	286 (2004)	79– 88
Smid, M., see P. Bose	282 (2004)	35– 41
Smith, D.D., see D.R. Berman	283 (2004)	15– 28
Solé, P., see Y.J. Choie	282 (2004)	81– 87
Soltan, V., see H. Martini	290 (2005)	221–228
Sopena, Éric, see M. Hosseini Dolama	283 (2004)	121–128
Šparl, P. and J. Žerovnik, Homomorphisms of hexagonal graphs to odd cycles	283 (2004)	273–277
Stacho, L., see L. Gargano	285 (2004)	83– 95
Stehlik, M., A generalisation of matching and colouring	285 (2004)	257–265
Stevanović, D., Bipartite density of cubic graphs: the case of equality	283 (2004)	279–281
Stolarski, D., see J. Carlson	287 (2004)	145–150

- Street, A.P., see R. Mathon 284 (2004) 209–215
- Su, R., H.-L. Fu and H. Shen, Embeddings of maximum packings in triple systems 284 (2004) 235–245
- Sun, L., see X.-g. Chen 289 (2004) 129–135
- Sun, Y., The statistic “number of *udu*’s” in Dyck paths 287 (2004) 177–186
- Svrtan, D., see T. Došlić 285 (2004) 67– 82
- Swart, H.C., see P. Dankelmann 281 (2004) 137–148
- Talbot, J., A new Bollobás-type inequality and applications to *t*-intersecting families of sets 285 (2004) 349–353
- Tan, B.P., On the kings and kings-of-kings in semicomplete multipartite digraphs 290 (2005) 249–258
- Tarsi, M., see M. Priesler (Moreno) 281 (2004) 247–254
- Tashkinov, V.A., see A.N. Glebov 290 (2005) 269–274
- Teng, L., see D. Lou 290 (2005) 105–108
- Teranishi, Y., The number of spanning forests of a graph 290 (2005) 259–267
- Tetali, P., see B. Guenin 288 (2004) 29– 35
- Thas, J.A., see D. Luyckx 282 (2004) 223–231
- Thomassen, C., see R.E.L. Aldred 285 (2004) 297–300
- Tian, F., A short proof of Fan’s theorem 286 (2004) 285–286
- Tian, F., see An Chang 283 (2004) 51– 59
- Tomescu, I., Sunflower hypergraphs are chromatically unique 285 (2004) 355–357
- Tonchev, V.D., see A. Munemasa 284 (2004) 231–234
- Traldi, L., Parallel connections and coloured Tutte polynomials 290 (2005) 291–299
- Tripodi, A., see G. Lo Faro 284 (2004) 197–203
- Trombetti, R., see I. Cardinali 282 (2004) 245–247
- Tucker, T.W., see T. Pisanski 281 (2004) 237–246
- Tuza, Z., see F. Göring 286 (2004) 67– 74
- Vaccaro, U., see L. Gargano 285 (2004) 83– 95
- Vahidi-Asl, M., see M. Javanian 287 (2004) 45– 53
- van den Brink, R., see E. Algaba 282 (2004) 1– 15
- Vanden Eynden, C., see A. Blinco 284 (2004) 71– 81
- van der Merwe, L.C., see W. Goddard 286 (2004) 255–261
- van Ditmarsch, H.P., see M.H. Albert 287 (2004) 129–133
- Vanherpe, J.-M., see A. Brandstädt 288 (2004) 9– 17
- van Vuuren, J.H., see A.P. Burger 283 (2004) 37– 43
- van Vuuren, J.H., see A.P. Burger 283 (2004) 45– 49
- Varbanov, Z., see I. Bouyukliev 281 (2004) 43– 66
- Veljan, D., see T. Došlić 285 (2004) 67– 82
- Volkman, L., All regular multipartite tournaments that are cycle complementary 281 (2004) 255–266
- Volkman, L., Hamiltonian paths containing a given arc, in almost regular bipartite tournaments 285 (2004) 359–364
- Volkman, L., The Petersen graph is not 1-factorable: postscript to ‘The Petersen graph is not 3-edge-colorable—a new proof’ [Discrete Math. 268 (2003) 325–326] 287 (2004) 193–194
- Volkman, L. and A. Yeo, Hamiltonian paths, containing a given path or collection of arcs, in close to regular multipartite tournaments 281 (2004) 267–276
- Volkman, L. and S. Winzen, Almost regular multipartite tournaments containing a Hamiltonian path through a given arc 285 (2004) 267–278
- Volkman, L. and S. Winzen, Cycles through a given arc and certain partite sets in almost regular multipartite tournaments 283 (2004) 217–229
- Volkman, L., see A. Hellwig 283 (2004) 113–120
- Volkman, L., see C. Peters 285 (2004) 227–238

- Voloshin, V., see M. Gionfriddo 283 (2004) 249–253
Voss, H.-J., see D. Král' 286 (2004) 99–113
- Walsh, T.R.S., see V.A. Liskovets 282 (2004) 209–221
Wang, H., Vertex-disjoint quadrilaterals in graphs 288 (2004) 149–166
Wang, J. and B. Du, $K_{p,q}$ -factorization of the complete bipartite graph $K_{m,n}$ 283 (2004) 283–287
Wang, L., X. Li and C. Hoede, Integral complete r -partite graphs 283 (2004) 231–241
Wang, L., see J. Wu 287 (2004) 103–111
Wang, T., see X. Zhao 281 (2004) 295–307
Wang, Y.Q., Super restricted edge-connectivity of vertex-transitive graphs 289 (2004) 199–205
Waterhouse, M., see P. Adams 284 (2004) 21–35
Webb, B.S., see D. Bryant 284 (2004) 83–95
Weng, C.-w., see T. Huang 282 (2004) 163–169
Wexler, T.B., see R. Haas 283 (2004) 87–92
Winzen, S., see L. Volkmann 283 (2004) 217–229
Winzen, S., see L. Volkmann 285 (2004) 267–278
Wood, D.R., see P. Bose 282 (2004) 35–41
Woodrow, R.E., see G. Hahn 283 (2004) 93–99
Woźniak, M., see E. Flandrin 286 (2004) 57–60
Woźniak, M., see A. Görlich 286 (2004) 75–77
Wu, B. and J. Meng, Hamiltonian jump graphs 289 (2004) 95–106
Wu, B., see L. Zhang 283 (2004) 289–293
Wu, J., X. Li and L. Wang, Removable edges in a cycle of a 4-connected graph 287 (2004) 103–111
Wu, J., see W. He 281 (2004) 209–219
Wu, S.-L., see H.-L. Fu 282 (2004) 267–273
- Xiaohui, L., see Y. Yuansheng 289 (2004) 107–118
Xin, G., Proof of a conjecture on the slit plane problem 282 (2004) 281–287
Xin, H., see Y. Yuansheng 289 (2004) 107–118
Xing, H.-m., see X.-g. Chen 289 (2004) 129–135
Xiong, L., H.J. Broersma, X. Li and M. Li, The hamiltonian index of a graph and its branch-bonds 285 (2004) 279–288
Xu, M.-Y., Y.-G. Baik and H.-S. Sim, Arc-transitive circulant digraphs of odd prime-power order 287 (2004) 113–119
- Yan, J.-H., see D. Kuo 283 (2004) 137–144
Yan, J.-H., see M.-J. Chen 290 (2005) 145–163
Yaon, Y.-J., see C.-M. Fu 282 (2004) 123–136
Ye, C., see R. Liu 289 (2004) 175–179
Yeh, Y.-N., see S.-P. Eu 281 (2004) 189–196
Yeo, A., see L. Volkmann 281 (2004) 267–276
Young, P.T., Degenerate and n -adic versions of Kummer's congruences for values of Bernoulli polynomials 285 (2004) 289–296
Yu, A., see An Chang 283 (2004) 51–59
Yu, M.-L., see J.-C. Bermond 284 (2004) 57–62
Yu, S.S., see H.K. Hsiao 287 (2004) 35–43
Yuansheng, Y., L. Xiaohui, L. Jianguo and H. Xin, The crossing number of $C(n; \{1, 3\})$ 289 (2004) 107–118
Yucas, J.L., see R.W. Fitzgerald 283 (2004) 71–79
Yuster, R., The number of edge-disjoint transitive triples in a tournament 287 (2004) 187–191
- Zannetti, M., $q^2 + q + 1$ -caps of class $[0, 1, 2, 3, q + 1]_2$ and type $(1, m, n)_4$ of $\text{PG}(5, q)$ are quadric Veroneseans 286 (2004) 287–290
Žerovnik, J., see P. Šparl 283 (2004) 273–277
Zha, X., see M.D. Plummer 287 (2004) 171–175

Zhang, F., see X. Chen	282 (2004)	69– 79
Zhang, H., see F.E. Bennett	284 (2004)	45– 55
Zhang, K., see Y. Chen	290 (2005)	85– 87
Zhang, L. and B. Wu, Edge choosability of planar graphs without small cycles	283 (2004)	289–293
Zhang, P., see G. Chartrand	290 (2005)	133–143
Zhang, S., see H. Zhao	281 (2004)	277–294
Zhang, Y., see Y. Chen	290 (2005)	85– 87
Zhao, B., see X. Li	289 (2004)	71– 80
Zhao, H., X. Li, S. Zhang and R. Liu, On the minimum real roots of the σ -polynomials and chromatic uniqueness of graphs	281 (2004)	277–294
Zhao, H., see R. Liu	289 (2004)	175–179
Zhao, X., S. Ding and T. Wang, Some summation rules related to the Riordan arrays	281 (2004)	295–307
Zhao, Y.-K., see H.K. Hsiao	287 (2004)	35– 43
Zhong, N., see R.E.L. Aldred	287 (2004)	135–139
Zhu, X., see W. He	281 (2004)	209–219
Zhu, X., see M. Hosseini Dolama	283 (2004)	121–128
Zioło, I.A., see A. Gölich	286 (2004)	75– 77
Žitnik, A., see T. Pisanski	281 (2004)	237–246
Zwierzynski, K.T., see K.T. Balińska	286 (2004)	15– 24